


1B Quiz 4

1. When $t \rightarrow \infty$, the capacitor is fully charged. The voltage across it is the voltage across the battery (since no current flows, the voltage drop across the resistors is zero). $V_c = 1.5 \text{ V}$

2. For a circuit of the form  $\tau = RC$. The equivalent resistance of R_1 and R_2 in our circuit is $\frac{1}{R_{eq}} = \frac{1}{R_1} + \frac{1}{R_2}$. Now our circuit is of the desired form, so $\tau = R_{eq} C$
 $= (142.8 \Omega)(7 \times 10^{-6} \text{ F})$
 $\tau = 1 \times 10^{-3} \text{ s}$

3. Applying rhr #1, we see the force on a positive charge would be in the $-\hat{y}$ direction. Since we are considering a particle with negative charge, the direction of force is opposite that for a positive particle. $\therefore F$ points towards $+\hat{y}$.

The magnitude of the force is given by

$$F = qvB \sin \theta$$

$q =$ magnitude of charge $= 1.6 \times 10^{-19} \text{ C}$
 $v =$ " " velocity $= 1.0 \times 10^6 \text{ m/s}$
 $B =$ " " mag. field $= 1.0 \text{ T}$
 $\theta =$ angle btwn \vec{v} and $\vec{B} = 90^\circ$

$$\therefore F = 1.6 \times 10^{-13} \text{ N}$$

1B Quiz 4

4. Since the particle is negatively charged, the electric force is in the direction opposite the electric field: F_{elec} points to $-\hat{y}$. As for the magnetic force, rhr #1 shows the force on a positive particle would be towards $+\hat{y}$. Since our particle is negatively charged, F_{mag} points to $-\hat{y}$. Therefore the net force on the particle is downward ($-\hat{y}$), so the particle is deflected downward regardless of its velocity.
5. The magnetic force on a straight wire is $F_{mag} = I l B \sin \theta$. We are told $\theta = 90^\circ$, $B = 5 \times 10^{-4} \text{ T}$, $l = 3.0 \text{ m}$, and $I = 200 \text{ A}$.

$$\therefore F_{mag} = 0.3 \text{ N}$$

(magnitudes are always positive and don't include direction)

1B Quiz 4

6. Ignoring fields caused by supporting wires and considering only the external, uniform magnetic field, chr #1 shows the force on the current segment would be up.



For the wire not to fall, its acceleration must be zero.

$$\sum F = F_{\text{mag}} - F_g = ma \overset{0}{=} 0$$

$$F_{\text{mag}} = F_g$$

$$F_{\text{mag}} = IlB \sin \theta$$

$$F_g = mg$$

$$\therefore I = \frac{mg}{lB \sin \theta}$$

$$= \frac{(1.0 \times 10^{-3} \text{ kg})(9.8 \text{ m/s}^2)}{(10 \times 10^{-2} \text{ m})(2.0 \text{ T}) \sin 90^\circ}$$

$$\boxed{I = 4.9 \times 10^{-2} \text{ A}}$$

7. $F_{\text{mag}} = IlB \sin \theta$ shows that the force on the current segment is 0 since θ , the angle between the current and the magnetic field, is 0.

1B Quiz 4

8. Using rhr #2, we see that at the position of the bottom wire, the field due to the top wire is into the page \otimes .

Using rhr #1 on the bottom wire in the mag. field of the top wire, we see F points up. ∴ The force is attractive.

The magnetic field of a long wire is $B = \frac{\mu_0 I}{2\pi r}$.

The force on a wire in a magnetic field is $F = I l B \sin \theta$. Substituting and solving for F/l ,

$$\frac{F}{l} = I \frac{\mu_0 I}{2\pi r} \sin \theta \quad (\theta = 90^\circ \text{ since } \vec{I} \perp \vec{B})$$
$$= \frac{(4\pi \times 10^{-7} \text{ T}\cdot\text{m/A})(10 \text{ A})^2}{2\pi (2 \times 10^{-3} \text{ m})}$$

$\frac{F}{l} = 1 \times 10^{-3} \text{ N/m}$

9. Using rhr #2, we see the fields due to both wires point into the page at A . The magnitude of this field is just the sum of the two:

$$B = B_{\text{top}} + B_{\text{bottom}}$$

$$= \frac{\mu_0 I}{2\pi(d/2)} + \frac{\mu_0 I}{2\pi(d/2)} = \frac{(4\pi \times 10^{-7} \text{ T}\cdot\text{m/A})(100 \times 10^{-6} \text{ A})}{2\pi (1 \times 10^{-6} \text{ m}/2)} \times 2$$

↙ both terms identical

$\vec{B} = 8 \times 10^{-5} \text{ T}$ into page

10. Using rhr #2, B_{top} points out of page, $r_{\text{top}} = d/2$; B_{bot} points into page, $r_{\text{bot}} = 3d/2$. Letting out of page be $+\hat{x}$,

$$\vec{B} = \vec{B}_{\text{top}} + \vec{B}_{\text{bot}} = \frac{\mu_0 I}{2\pi(d/2)} \hat{x} + \frac{\mu_0 I}{2\pi(3d/2)} (-\hat{x}) = \frac{\mu_0 I}{2\pi(d/2)} \hat{x} \left(1 - \frac{1}{3}\right)$$

$\vec{B} = 2.7 \times 10^{-5} \text{ T}$ out of page