









Potential Sensitive Dyes

David Kleinfeld
Room 1C-463
ATT Bell Laboratories
600 Mountain Avenue
Murray Hill, N.J. 07974


NIPPON KANKOH-SHIKISO KENKYUSHO CO., LTD.
(JAPANESE RESEARCH INSTITUTE FOR
PHOTOSENSITIZING DYES CO., LTD.)
2-3, Shimoishi 1-chome, Okayama 700, Japan
Phone : (0862) 24-2343 Telex : (0862) 33-2265

NK No. Code name Reference




NK No. Code name Reference

X 2367 Mercyanine-6 oxazolone



NK 2047

9




100 mg \$ 100

NK 2935

WW 781


11



50 mg \$ 100

NK 2040


4(Dye 193)



100 mg \$ 100

NK 2936


dIBd-C(5) 4,5,10



100 mg \$ 120


NK 1939

5(Dye 495)



100 mg \$ 100

NK 3041 RH 155



50 mg \$ 100

- Reference
- 4) L. B. Cohen et al. J. Membrane Biol. 19, 1, 1974
 - 5) W. N. Ross et al. J. Membrane Biol. 33, 141, 1977
 - 6) B. M. Salzberg et al. J. Neurophysiol. 40, 1281, 1977
 - 9) C. L. Bashford et al. Biochim. Biophys. Acta 545, 46, 1979
 - 10) J. T. Russell et al. J. Biol. Chem. 254, 2047, 1979
 - 11) R. K. Gupta et al. J. Membrane Biol. 58, 123-137, 1981
 - 12) T. Sakai et al. J. Membrane Biol. 72, 205, 1983

Nippon Kankoh-Shikiso Kenkyusho Co, Ltd.
2-3, Shimoishii 1 chome, Okayama-shi
OKAYAMA, 700 JAPAN